

# INDEX MAPS.

## T.7N R.1W 2<sup>nd</sup> Mer.

|     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|     | 201 |     | 200 |     | 200 |     | 200 |     | 199 |     | 199 |     |
| 203 | 6   | 221 | 5   | 218 | 4   | 214 | 3   | 210 | 2   | 207 | 1   | 196 |
|     | 222 |     | 221 |     | 217 |     | 214 |     | 210 |     | 206 |     |
| 202 | 7   | 201 | 8   | 217 | 9   | 213 | 10  | 210 | 11  | 206 | 12  | 196 |
|     | 222 |     | 220 |     | 217 |     | 213 |     | 209 |     | 206 |     |
| 202 | 18  | 220 | 17  | 217 | 16  | 213 | 15  | 209 | 14  | 205 | 13  | 196 |
|     | 223 |     | 220 |     | 216 |     | 212 |     | 209 |     | 205 |     |
| 201 | 19  | 219 | 20  | 216 | 21  | 212 | 22  | 208 | 23  | 205 | 24  | 195 |
|     | 223 |     | 219 |     | 215 |     | 212 |     | 208 |     | 204 |     |
| 201 | 30  | 219 | 29  | 215 | 28  | 211 | 27  | 208 | 26  | 204 | 25  | 195 |
|     | 223 |     | 218 |     | 215 |     | 211 |     | 207 |     | 204 |     |
| 201 | 31  | 218 | 32  | 214 | 33  | 211 | 34  | 207 | 35  | 203 | 36  | 195 |
|     | 199 |     | 198 |     | 198 |     | 198 |     | 197 |     | 197 |     |

## T.8N R.1W 2<sup>nd</sup> Mer.

|     |     |     |     |     |     |     |     |     |     |     |     |     |
|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|     | 231 |     | 230 |     | 230 |     | 230 |     | 229 |     | 229 |     |
| 233 | 6   | 250 | 5   | 247 | 4   | 243 | 3   | 240 | 2   | 236 | 1   | 229 |
|     | 250 |     | 250 |     | 247 |     | 243 |     | 239 |     | 236 |     |
| 232 | 7   | 250 | 8   | 246 | 9   | 243 | 10  | 239 | 11  | 236 | 12  | 228 |
|     | 251 |     | 250 |     | 246 |     | 242 |     | 239 |     | 235 |     |
| 232 | 18  | 250 | 17  | 246 | 16  | 242 | 15  | 238 | 14  | 235 | 13  | 228 |
|     | 251 |     | 249 |     | 245 |     | 242 |     | 238 |     | 235 |     |
| 232 | 19  | 249 | 20  | 245 | 21  | 241 | 22  | 238 | 23  | 234 | 24  | 227 |
|     | 251 |     | 249 |     | 245 |     | 241 |     | 237 |     | 234 |     |
| 231 | 30  | 248 | 29  | 244 | 28  | 240 | 27  | 237 | 26  | 234 | 25  | 227 |
|     | 252 |     | 248 |     | 244 |     | 240 |     | 237 |     | 233 |     |
| 231 | 31  | 247 | 32  | 244 | 33  | 240 | 34  | 237 | 35  | 233 | 36  | 226 |
|     | 226 |     | 226 |     | 226 |     | 225 |     | 225 |     | 225 |     |

The figures on the lines refer to the page.

209  
195  
Township N. 7 North, Range N. 17 W. 2<sup>nd</sup> Meridian.  
T. N. 7 N. W. N. 17. 2<sup>nd</sup> Mer. Indiana

On the 2<sup>nd</sup> Mer. between Towns 7 & 8 N. R. 16  
E & 17 W. on the E. side of Sec 36  
0.50 To a Brook 10 miles wide; Course S. W.  
3.00 Intersected my line (i.e. at Holms) at the camping  
post from which Sugar 10 mi. dist. bears N 72 E  
9 miles dist; and a L. 15 n n n N 66 W  
W n n n. Was derived the variation then to  
be 6° 25'. Continued the 2<sup>nd</sup> Principal meridian

North East side of Sec 36. 2<sup>nd</sup> Mer. line.  
40.00 Set a post for the cor to 1/4 Sec. from which a  
Log made 5 mi. dist. bears N 74 W 9 miles dist; & a  
L. 6 n n n N 45 E. 20 n n  
80.00 Set a post for the cor to Sec. 25 & 36. T. N. 7 N.  
R. N. 17. from which an Ironwood 6 mi. dist. bears  
S 87 E 3 miles dist; and a Sugar 9 n n n  
N 24 W 8 n n. Lands fully; Timber Oak

North On the 2<sup>nd</sup> Mer. between T. 7 & 8 N. R. 16 E & 17 W.  
East side of Sec. 25  
12.00 To a Brook 10 miles wide; Course W.  
25.00 a P. n 10 n n n W  
32.50 To a Buck 12 mi. dist. stands in the line  
40.00 Set a post for the cor to 1/4 Sec. from which a  
Sugar 24 mi. dist. bears N 15 W. 13 miles dist; & a  
Buck 12 n n n N 15 W 23 n n  
57.10 To a Brook 6 miles wide; Course West  
71.50 n n n Oak 36 mi. dist. stands in the line.  
75.00 To a Brook 4 miles wide; Course W.  
80.00 Set a post for the cor. to Sec. 24 & 25. T. N. 7 N.  
R. N. 17. 2<sup>nd</sup> Mer. from which a W. Oak 24  
mi. dist. bears N 25 W. 9 miles dist; & a Buck 10  
n n n N 83 E. 11 n n

March 27. 1881

North On the 2<sup>nd</sup> Mer. between Towns 7 & 8 N. R. 16 E &  
17 W. on the E. side of Sec 24

T. N. 7. N. R. N. 17. 2<sup>nd</sup> Mer. (S. 1<sup>st</sup>)

17. on the E. side of sec 24

- 21.00 To an W. Oak, 26 in. dia. Stems in the river  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 16 in. dia. bears N 47. 20 W. dist; & a  
 Hickory 16 in. " " South 21 in. " " over  
 very high hills  
 80.00 Set a post for the cor. to sec. 13 & 24 T. N. 7. N.  
 R. N. 17. from which a W. Oak 15 in. dia. bears  
 N 65 E. 4 miles dist; & a Buck 7 in. " "  
 N 55 W 5 in. " " Sand level; Timber Buck & Sugar

North On the 2<sup>nd</sup> Mer. between T. 7 & 7. N. 1 E. & 17.  
in the E. side of sec. 13

- 6.00 To a Brook 30 miles. dist; course E. N.  
 38.00 " " " 30 " " " W.  
 40.00 To a Hickory 24 in. dia. stands for the cor. to  $\frac{1}{4}$  sec.  
 45.00 To a Brook running S. W. kept up in it  
 15 ch.; left it to the West  
 80.00 To a Buck 24 in. dia. stands for the cor. to sec.  
 12 & 13 T. N. 7. N. R. N. 17. Sand hilly; Timber  
 Buck;

North On the 2<sup>nd</sup> Mer. between Towns. 7. & 7. N. R. 1 E. & 17.  
W. on the E. side of sec 12.

- 1.00 To a Brook 250 miles. dist; course W.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 10 in. dia. bears S 35 W. 13 miles dist; & a  
 W. Oak 36 in. " " N 16 W. 20 in. " "  
 66.50 To a W. Oak 33 in. dia. Stems in the river  
 80.00 Set a post for the cor. to sec. 1 & 12. T. N. 7. N.  
 R. N. 17. from which a Sugar 16 in. dia. bears  
 N 9 W. 16 miles dist; & a Do 15 in. " "  
 S 65 W. 21 in. " " Over high hills; Timber  
 Oak, Buck & Sugar.

North On the 2<sup>nd</sup> Mer. between T. 7 & 7. N. R. 1 E. & 17.

T. N. of N. R. No 177. 2<sup>nd</sup> Mer. (Ind.)

- on the East side of Sec 1.  
 34.75 To a M. Oak 36 in. dia stands on the line.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 M Oak 14 in. dia bears N 45 E. 19 links dist; to  
 Hickory 6 " " " S 45 W 24 " "  
 75.00 To a Spruce 6 links in dia; corner E.  
 80.00 Set a post for the cor. to Towns 7. & 8. N. 81 E  
 + 1 W from which a M Oak 24 in dia bears  
 N 15 E. 25 links dist; to a Buck 10 " " "  
 S 39 W 3 " " " Hilby Oak Land;  
 some Buck & Sugar etc

## South Boundary.

- West On the S. Boundary of T. N. 7 N. R. No 177.  
 South side of sec 36. from the cor of Towns 6 & 7.  
 N 81 E + 1 W  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 6 in dia bears N 18 W 12 links dist; to  
 do 5 " " " S 45 W 6 " "  
 80.00 Set a post for the cor. to Sect 35. & 36. T. N. 7  
 N. R. No 177. from which a Buck 16 in dia bears  
 S 34 E. 6 links dist; to do 12 " " "  
 N 10 E 26 " " " Hilby Oak Land.

West On the South Boundary of T. N. 7 N. R. No 177  
 South side of sec. 35.

- 19.25 To a Spruce 30 in. dia stands on the line.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec from which a  
 Mulberry 12 in. dia bears N 65 W 36 links dist; to  
 Buck 10 " " " S 26 E 10 " "  
 80.00 Set a post for the cor. to Sect 34 & 35. T. N. 7  
 N. R. No 177. from which a Buck 15 in. dia  
 bears N 52 E. 8 links dist; to do 9 " " "  
 " S 15 W 13 " " " Hilby Oak Land  
 March 31. 1811

West On the South side of sec 34. T. N. 7 N. R. No 177.



## T. N. 7 N. R. N. 17. 2nd Mer. Ind.

- 30.00 To a Brook 6 miles mid; course S.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Buck 18 in. dia bears S 65 E. 8 miles dist; 1 w.  
 No 12 n " " N 83 W. 20 n "  
 77.50 To a Brook 250 miles mid; course S.  
 80.00 Set a post in the 73k of the cor. for the cor.  
 to Sec. 33 & 34 T. N. 7 N. R. N. 17. From which a  
 Buck 30 in. dia bears N 82 W. 40 miles dist; see  
 Entry 10 n " " N 77 E. 27 n "  
 Sand dunes April 1st 1811.

- West On the South Boundary of T. N. 7 N. R. N. 17  
 South side of Sec 33.  
 26.00 To a Brook 40 miles mid; course N.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Buck 12 in. dia bears S 54 W. 7 miles dist; 1 w.  
 Sugar 30 n " " N 10 E. 23 n "  
 57.00 To a spring on course S.  
 60.00 " " " " " S E.  
 65.00 To a Sugar 18 in. dia stands in the river.  
 80.00 Set a post for the cor. to Sec 32, & 33. T. N. 7 N.  
 R. N. 17. From which a Buck 30 in. dia bears  
 S 60 W. 11 miles dist; 1 w. No 30 n " "  
 N 71 E. 27 n " " Sand, rich; Sugar,  
 Ash, & Buck;

- West On the South Boundary of T. N. 7 N. R. N. 17.  
 South side of Sec 32.  
 34.00 To a Buck 16 in. dia bears in the river.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Buck 12 in. dia bears S 60 E. 25 miles dist; 1 w.  
 Sugar 8 n " " S 77 W. 25 n "  
 65.00 To a Brook 3 miles mid; course N.  
 80.00 Set a post for the cor. to Sec. 31. & 32 T. N. 7 N.  
 R. N. 17. From which a Poplar 36 in. dia  
 bears N 9 W. 17 miles dist; 1 w. Sugar 8 n "

T. N. 7 N. R. N. 1 W. 2nd Mer. (Inde.)

bees N 71 W 27 miles dist; Sand oak; Union  
Sugar Walnut & Buck;

West On the South Boundary of T. N. 7 N. R. N. 1 W.  
South side of sec. 31.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Dogwood 8 in. dia bears S 50 W. 25 miles dist; & a  
Buck 15 in " " N 6 E. 26 in " "

82.75 Full 450 miles North of Kansas to mile post;  
Continued Range line to water bet cor. to towns  
617 Range 1 & 2 W. from which a Buck 30  
in dia bears S 77 W. 32 miles dist; & a Poplar 30  
in " " N 37 W 38 in " "

North Boundary

West On the South Boundary of T. N. 8 N. R. N. 1 W.  
South side of sec. 36.

40.00 Set a post for the cor. to 1/4 sec. from which a  
W. Oak 10 in. dia bears S 83 W. 31 miles dist; & a  
D. 20 in " " N 83 E. 19 in " "

42.00 To a Brook 8 miles min; Kansas S.E.

80.00 Set a post for the cor. to sec. 35 & 36 T. N. 8.  
N. R. N. 1 W. from which a Hickory 3 in. dia bears  
S 2 E. 3 miles dist; & a W. Oak 20 in " "  
N 32 W 18 in " " Poor Hilby Oak lands;

West On the South Boundary of T. N. 8 N. R. N. 1 W.  
South side of sec. 35.

39.00 To a Brook 25 miles min; Kansas S.

40.00 Set a post for the cor. to 1/4 sec. from which a  
Butternut 6 in. dia bears N 50 W. 10 miles dist; & a  
W. Buck 3 in " " S 59 E. 14 in " "

80.00 Set a post for the cor. to sec. 34 & 35 T. N. 8 N. R.  
N. 1 W. from which a Buck 5 in. dia bears  
N 72 W 11 miles dist; & a Hickory 11 in " "  
S 4 E 21 in " " Sand smadling food; timber

T. No 7 N.R. No 177. 2nd Mer. Inda.  
Buck Sugar, &c

West On the South Boundary of T. No 8 N.R. No 177.  
on the South side of Sec. 34

13.50 To a Brook 8 miles; course N.E.

40.00 Set a post for the cor. to 74 Sec. from which a  
Sugar 14 mi. dist. bears N 31 E. 10 miles dist; & a  
Buck 4 n n n S 45 W. 25 n n

80.00 Set a post for the cor. to Sec. 33, & 34 T. No 8  
N.R. No 177 from which a Sugar 18 mi. dist. bears  
N 35 W. 27 miles dist; & a Buck 10 n n n  
S 28 E. 5 n n  
Cedar & fir timber as same as the last mile;

West On the South Boundary of T. No 8 N.R. No 177  
South side of Sec. 33

40.00 Set a post for the cor. to 74 Sec. from which a  
Kick 78 mi. dist. bears N 42 W. 12 miles dist; & a  
Buck 9 n n n S 44 E. 26 n n

57.50 To a Brook 10 miles; course S.

80.00 Set a post for the cor. to Sec. 32, & 33. T. No 8 N.  
R. No 177 from which a Buck 14 mi. dist. bears  
N 80 E. 7 miles dist; & a Sugar 10 n n n  
S 45 W. 20 n n Poor land; timber: Buck 10 mi. & Hick;

West On the South Boundary of T. No 8 N.R. No 177.  
South side of Sec. 32.

40.00 Set a post for the cor. to 74 Sec. from which a  
Kick 13 mi. dist. bears N 54 E. 6 miles dist; & a  
Dogwood 4 n n n S 27 W. 22 n n

66.50 To a Brook 8 miles; course South.

80.00 Set a post for the cor. to Sec. 31, & 32 T. No 8 N.  
R. No 177 from which a Buck 4 mi. dist. bears  
S 70 E. 12 miles dist; & a Dog 4 n n n  
West 13 n n Poor Buck land;

T. N. 7 N. R. N. 1 W. 2<sup>nd</sup> Mer. (Ind. a)

- West On the East Boundary of T. N. 8 N. R. N. 1 W.  
 40.00 Set a post for the cor. to Sec. 14 Sec. from which a  
 Sugar 6 mi. via. bears N 52 E. 3 miles dist; 1 a  
 Do 4 a " " S 65 W. 16 a "  
 56.50 To a Brown 75 miles via. bears S. E.  
 80.00 Set a temporary post for the cor of Towns 7. 18.  
 N. 18 2 W. 1st 1/2 mile rich and good;  
 timber Sugar, Ash, & Walnut. 2nd 1/2 same

## West Boundary.

- North Between T. N. 7 N. R. 18 2 W. on the east side  
 of Sec. 36. T. N. 7 N. R. 2 W.  
 30.0 To a Day & Spring East: Course N. E.  
 6.00 " " Brooks 3 miles via; Course E.  
 30.00 " " Do. 6 a " " E.  
 40.00 Set a post for the cor to Sec. 14 Sec. from which a  
 Buck 24 mi. via bears S 50 W. 20 miles dist; 1 a  
 Do 26 a " " N 12 E 49 a "  
 80.00 Set a post for the cor to Sec. 25 136 T. N. 7 N.  
 R. N. 2 W. from which a Buck 18 mi. via bears  
 N 82 W 18 miles dist; 1 a Do 14 a " "  
 S 8 E 39 a " Hilby Oaks, Amos.

North On the East Boundary of T. N. 7 N. R. N. 2 W.  
on the North side of Sec. 25.

- 40.00 Set a post for the cor to Sec. 14 Sec. from which a  
 Buck 18 mi. via bears N 27 W. 24 miles dist; 1 a  
 Elm 18 a " " S 46 W 26 a "  
 80.00 Set a post for the cor. to Sec. 24 125 T. N. 7 N. R. N.  
 2 W. from which a Buck 18 mi. via bears N 19 W  
 11 miles dist; 1 a Do 18 a " " S 22 W  
 42 a " " Good lands; Timber Buck, Sugar  
 Ash &c

North On the E. Boundary of T. N. 7 N. R. N. 2 W.  
East side of Sec. 24



T. No 7 N.R. No 177. 2<sup>nd</sup> 7<sup>th</sup> Ind.

30.00 To the mouth of a Cove facing the West; & extending to the Eastward; nearly straight & is completely anchored; in an average 6 feet high & 7 feet in width; we measured 300 lbs it appeared to extend in the same direction & to increase in size but for want of light we ventured no further; There is a first rate Spring running from it;

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a Buck 18 mi. in bears N 86 E 11 miles dist; to  
 Ho 18 " " " " N 6 W. 21 " "

43.00 To a Brook 15 miles in; Course E.

60.75 " " Sugar 24 mi. in. Stands in the line.

78.50 " " Brook 15 miles in; Course S.E.

80.00 Set a post for the cor. to Sec 13 & 24 T. No 7 N. R. No 277. in the Banks of a Brook from which a Sugar 12 mi. in bears N 29 E 7 miles dist; to  
 Elm 18 " " " " N 63 W 31 " "  
 Soudak; Timber Sugar, Elm, Walnut:

North on the East Boundary of T. No 7 N.R. No 277.  
 East side of Sec 10

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a Sugar 14 mi. in bears N 55 E. 10 miles dist; to  
 Ho 16 " " " " S. 55 W. 15 " "

53.00 To a Brook 15 miles; Course S. W.

66.00 " " Sugar 12 mi. in stands in the line.

73.00 " " Brook - 15 miles; Course S.E.

80.00 Set a post for the cor. to Sec 12 & 13. T. No 7 N. R. No 277. from which a Buck 36 mi. in bears N 50 W. 17 miles dist; to Ho 16 " "  
 " " N 80 W 24 " "  
 Soudak; Good mill Apts; & Well timber

North on the East Boundary of Sec 12 T. No 7 N.R. No 277.

## T. No. 7 N.R. No. 177. 2nd Mer. Ind.

- 15.00 To a Brook - 11 mi. S.W. from S.W.  
 22.00 " " " " " " " " S.E.  
 34.00 To a Brook 20 " " " " " " N.  
 40.00 Set a post for the cor. to 1st 20. From which a  
 Back 36 mi. S.W. bears N 15 E. 14 miles distant  
 " 24 " " " " S.E. 31 " "  
 47.00 To a Brook - the same; hence S.W.  
 77.00 " " " " " " " " S.E.  
 80.00 Set a post for the cor. to 1st 12. T. No. 7 N.R.  
 No. 277 From which a Back 16 mi. S.W. bears  
 N 71 W. 14 miles distant; to 1st 6 " "  
 S 3 E. 19 " "

- North On the E. Boundary of No. 1 T. No. 7 N.R. No. 277.  
 15.00 To a Brook - the same; hence S.W.  
 30.00 " a Walnut 18 mi. S.W. stands on the line;  
 35.00 To a large of rocks  
 40.00 Set a post for the cor. to 1st 20. From which a  
 Back 18 mi. S.W. bears S 2 E. 13 miles distant  
 " 18 " " " " N 10 W. 25 " "  
 60.00 To a Spring; hence S.E.  
 77.00 Intersection the E. & W. Town line 150 miles West  
 of the first set by James; moved at 4 is the Inter-  
 section for the cor. to 1st 8. T. No. 152 W.  
 From which a Back 12 mi. S.W. bears N 73 W. 12  
 miles distant; to 1st Oak 30 " " " " S 40 E 23  
 " " April 4th 1811.

## Subdivisions

- North To a Brook Sect. 35 & 36. T. No. 7 N.R. No. 177.  
 40.00 Set a post for the cor. to 1st 20. From which a  
 Back 18 mi. S.W. bears S 50 E. 26 miles distant; to  
 " 10 " " " " N 78 W. 7 " "  
 76.00 To a Brook 20 mi. S.W.; hence N.  
 80.00 Set a post for the cor. to 1st 25, 26, 35, & 36

T. N. 7 N. R. No. 147. 2<sup>nd</sup> Sec. Ind. Co.

From which a Buck 18 in. dia bears N 30 W.  
28 miles dist: to No 10 & ~ ~ ~ S 56 E.  
28 ~ ~ ~ Sand rolling: Timber Oak &  
Hickory

East On a Random line between Sec. 25 & 36. T. N. 7 N.  
R. No. 177.

23.00 To a Brook 200 miles wide; corner S 67 W.

35.50 ~ ~ ~ ~ ~ N. 77 W.

40.00 Set a trap post for the cor to 1/4 sec

43.50 To the above named Brook — the river S 77 W.

80.10 Intersect the N & S line at the post set for the  
cor. to Sec. 25 & 36. T. N. 7 N. R. No. 177.  
Sands soil timber &c same as the last mile.

West On a random line between Sec. 25 & 36.

40.15 Set a post for the cor to 1/4 sec. from which a  
Buck 10 in. dia. S 47 W. 4 miles dist: to  
No 18 & ~ ~ ~ N 77 E. 32 & ~

80.10 To the post set for the cor to Sec. 25, 26, 35 &  
36.

North To a point Sec. 25 & 26 T. N. 7 N. R. No. 177.

40.00 Set a post for the cor to 1/4 sec. from which a  
Hickory 10 in. dia bears S 13 W. 27 miles dist: to  
E. 18 & ~ ~ ~ N 47 W. 18 & ~ ~

80.00 Set a post for the cor to Sec. 23, 24, 25, & 26  
from which a Buck 15 in. dia bears N 15 E.  
25 miles dist: to No 8 & ~ ~ ~ S 16 W.  
23 & ~ ~

Sands soil timber &c same as the last mile.

East On a Random line between Sec. 24 & 25

40.00 Set a trap post for the cor. to 1/4 sec.

72.00 To a Brook 150 miles wide; corner S 77 W.

80.00 Intersect the N & S line 44 miles South of the

T. No 7 A.R. No 177. 2<sup>nd</sup> & 7<sup>th</sup> Nov. (End.)

First set for the cor to Sec. 24 & 25. T. No 7 N.  
A. No 177. Sand, soil & timber same as the last  
mile;

West On a true line between Sec. 24 & 25

40.00 Set the temporary post at the avor. dist. on the true  
line for the cor to 1/4 sec. from which a Tree 10  
in dia bears S 4 E. 11 miles dist; & a Co 10  
n n n N 82 W 12 n n

80.00 To the post set for the cor. to Sec. 23, 24, 25 & 26

North Between Sec. 24 & 25

40.00 Set a post for the cor. to 1/4 sec. from which a  
Tree 8 in. dia bears S 51 E. 9 miles dist; & a  
Co 4 n n n S 20 W 13 n n

80.00 Set a post for the cor. to Sec. 13, 14, 23, & 24 from  
which a Tree 5 in dia bears S 21 W 23 miles  
dist; & a Co 8 n n n N 55 W 39 n n  
Sand, soil & timber the same.

East On a Meridian line between Sec. 13 & 24

40.00 Set a temporary post for the cor to 1/4 sec

58.50 To a Brook 150 miles dist; S. E.

80.12 Intersected the N 7 S. line at the post set for the  
cor to Sec. at the post set for the cor. to Sec. 13 &  
24 T. No 7 A.R. No 177  
Sand, soil, timber n. g. & same as the last mile

West On the true line between Sec. 13 & 24 T. No 7 A.R. No 177.

40.06 Set the temporary post at the avor. dist; on the true  
line for the cor. to 1/4 sec. from which a Tree  
10 in dia bears West 20 miles dist; & a Co  
15 n n n S 64 W 20 n n

80.12 To the post set for the cor to Sec. 13, 14, 23 & 24

North Between Sec. 13 & 14. T. No 7 A.R. No 177.



T. No 7 N.R. No 7 W. 2<sup>nd</sup> Sec. New. Ind.

- 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Buck 20 in. dia. bears S 14 W. 23 links dist; & a  
 Do 12 " " " S 70 E. 20 " "
- 80.00 Set a post for the cor. to sec. 11, 12, 13, & 14 from  
 which a Hickory 8 in. dia. bears S 30 E 7 links dist;  
 and a W Oak 18 " " " N 68 W 20 " "
- Sandy flat timber Buck, Gum, Oak, Ash & Walnut

- East On a Random line between Sec. 12 & 13. T. No 7 N.R. No 7 W.
- 25.00 To a Brook 15 links midw. course South
- 40.00 Set a temporary post for the cor. to 1/4 sec.
- 76.00 To a Brook 200 links midw. course S.
- 80.00 Intersect the N & S line at the post set for the cor.  
 to sec. 12 & 13. T. No 7 N.R. No 1 W.  
 Same the same as the last mile

- West On a true line between Sec. 12 & 13. T. No 7 N.R. No 7 W.
- 40.00 Set the temporary post at the cor. dist on a true line  
 for the cor. to 1/4 sec. from which a  
 W Oak 12 in. dia. bears S 5 W. 3 links dist; & a  
 Iron rod 6 " " " N 21 E. 29 " "
- 80.00 To the post set for the cor. to sec. 11, 12, 13, & 14.

- North Between Sec. 11 & 12. T. No 7 N.R. No 1 W.
- 21.00 To a Brook 10 links midw. course S.E.
- 40.00 Set the post for the cor. to 1/4 sec. from which a  
 W Oak 20 in. dia. bears N 4 E. 23 links dist; & a  
 Do 12 " " " S 42 W 26 " "
- 73.00 To a Brook 12 links midw. course S.E.
- 80.00 Set a post for the cor. to sec. 1, 2, 11, 12. from  
 which a Buck 10 in. dia. bears S 46 W 13 links dist;  
 and a Do 12 " " " N 21 E. 19 " "
- Sandy till; Timber Oak, Hickory, & Buck;

- East On a Random line between Sec. 1 & 12. T. No 7 N.R. No 1 W.

T. No. 7. N.R. No. 177. 2<sup>nd</sup> sec. 17th. (Ind.)

- 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 81.38 Intersected the N1S line 48 links South of  
 the cor. to sec. 1 & 12. T. No. 7 N.R. No. 177.  
 Sandy heavily timbered soil; Timber Oak, & Hickory.

- West Between Sec. 1 & 12. On a Random line T. No. 7 N.R. No. 177.  
 40.19 Set the temporary post at the aver. dist. on the true  
 line for the cor. to  $\frac{1}{4}$  sec. from which a  
 Log woods 6 mi. dist. bears N30 W. 17 links dist; to  
 Maple 10 " " " S 9 W. 20 " "  
 80.38 To the post set for the cor. to sec. 1, 2, 11, 12

- North Between Sec. 1 & 12. T. No. 7. N.R. No. 177.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 W Oak 20 mi. dist. bears N75 E - links dist; to  
 Log 20 " " " S 16 W. 9 " "  
 81.03 Intersected the N. Boundary of T. No. 7 N.R. No. 177  
 at the post set for the cor. to sec. 35 & 36 T. No. 8.  
 N.R. No. 177. Sandy soil, timber, & c. same as the  
 last mile.

- North Between Sec. 34 & 35 T. No. 7. N.R. No. 177.  
 32.00 To a Brook 12 links dist; corner N.R.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 W. Walnut 10 mi. dist. bears N70 W. 15 links dist; to  
 Log 20 " " " N 42 E. 14 " "  
 80.00 Set a post for the cor. to sec. 26, 27, 34 & 35 from  
 which a Bush 8 mi. dist. bears N72 E 17 links dist;  
 under a Log " " " N 11 W 8 " "  
 Sandy flat; Timber Bush, Gum, Oak, & Hickory

- East On a Random line between Sec. 26 & 35 T. No. 7. N.R. No.  
 177.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 73.00 To a Brook 207 links dist; corner N.R.  
 80.00 Intersected the N & S line 12 links South of sec.

T. N<sup>o</sup> 7 N.R. N.R. N<sup>o</sup> 177. 2<sup>nd</sup> 1<sup>st</sup> (Ind.)

cor. to sec. 25, 26, 35 & 36.

Sandy soil, timber, w/4 is same as in the last mile.

West On a true line between sec. 26 & 35. T. N<sup>o</sup> 7 N.R. N<sup>o</sup> 177.

40.00 Get the timber first at the avor. dist; on the true line for the cor. to  $\frac{1}{4}$  sec. from which a

Buck 6 mi. dist bears N 56 E. 14 miles dist; 10

do 10 " " " S 20 E. 11 " "

80.00 To the first set for the cor. to sec. 26, 27, 34 & 35

North Between sec. 26 & 27 T. N<sup>o</sup> 7 N.R. N<sup>o</sup> 177.

40.00 Get a post for the cor. to  $\frac{1}{4}$  sec. from which a Buck 10 mi. dist; sec. 27.

80.00 Get a post for the cor. to sec. 22, 23, 26 & 27. from which a N. dist 20 mi. dist bears N 21 E. 6 miles dist;

ridge Buck 10 " " " S 42 E. 39 " "

Sandy soil, timber, or same as in the last mile

East On a true line between sec. 23 & 26 T. N<sup>o</sup> 7 N.R. N<sup>o</sup> 177.

40.00 Get a timber first for the cor. to  $\frac{1}{4}$  sec.

80.00 Intersperse the N 45 line 10 miles North of the first set for the cor. to sec. 23, 24, 25, & 26.

Sandy soil, timber or same as the last mile.

West On a true line between sec. 23 & 26. T. N<sup>o</sup> 7 N.R. N<sup>o</sup> 177.

40.00 Get the timber first at the avor. dist; on a true line for the cor. to  $\frac{1}{4}$  sec. from which a

Poplar 5 mi. dist. bears N 45 E. 11 miles dist; 10

do 5 " " " S 57 W. 17 " "

80.00 To the first set for the cor. to sec. 22, 23, 26, & 27

North Between sec. 22 & 23. T. N<sup>o</sup> 7 N.R. N<sup>o</sup> 177.

40.00 Get a post for the cor. to  $\frac{1}{4}$  sec. from which a

Buck 15 mi. dist bears S 77 W. 17 miles dist; 10

T. No 7 M.R. No 17. 2nd Mar (S. d.)

80.000 Back 15 mi. via beam N45W 27 Mike met +  
Got a post for the the car to car. 22, 23, 14, 15

East On a line between Sec. 44 & 23. T. 47. N.  
R. 10. W.

40.00 Set a chimney pot for the stove 1/4 per

80.00 Intersection the NTS line 20 miles North of the  
first set for the cor. to sec. 13, 14, 23, & 24

Sand, soil, timber, &c same as the last mile;

West Cr. a true line between Loc 14 & 23. T.M. of M.R. 17.

40.00 Get the trumpet fixed at the adv. desk, on the time line  
for the car to 74 sec from arrival a

Truck 10 in the house N 77 E. White Mt. rd

No 8 n a 116 E. 17 n a

8:00 To the Great Set for the cor to let. 14, 15, 22, 23.

North Rutown Sec 14 15 T. N. 7. R. R. No 177

40.00 Got a post for the car to the Gun which a

N. Oak. 12 in. dia bears 442 N. Y. white with 1 a

40 15 n n n - 128° 23 n n

80.00 *Set apart for the car. to Dec. 10. 11. 14. 15. from.*

which a *Bact. Com. dia* found 439 N. 19, in 1891.

und a Do 5 n a n 1206. 15 n a

Sand, peat, timber, &c same as the last mile.

East on a Roman mile between Dec. 11 & 14 I.M. & P.M. 17M.

40.00 Get a temporary permit for the car to  $\frac{1}{4}$  sec.

80.50 Enter section the N.E. line of the lot for  
the cor to Secs 11, 12, 13, & 14. Sand soil turned to  
same as the last mile;

Wellington, New Zealand, Dec. 11. & 14. J. M. G. H. R. M. 1891.

40.25 Set a post for the cor. of '44 sec. at the adv. dist; on a true line. From which, a Buck 3 in. dia runs S62E.5



*T. No 7 N.R. No 17. 2nd. Mn. (Ind. of)*

*linked with; and on No - in air base N28 E. 10*

*80.50 To the first lot for the cor. to lot 10. 11. 14. 15.*

*North Between Sec. 10. 11 T. No 7 N.R. No 17*

*14.30 To a Buck 15 in air base in the air*

*40.00 Set a post for the cor. to 14.30 from which a  
Buck 14 in. air base S57 N. 20 linked with; 10  
W. distance 10 n n S43 E 20 n n*

*80.00 Set a post for the cor. to lot 2, 3, 10, 11. T. No 7 N.  
R. No 17. from which a Buck 12 in air base  
N44 E. 10 linked with; 10 No 5 n n  
S27 E. 6 n Sand pit timber + same as the last  
mile;*

*East On a main line between Sec. 20 11. T. No 7 N.R. No 17.*

*40.00 Set a temporary post for the cor. to 14.30.*

*80.00 Intersect the N. S. line 100 miles North of the  
first lot for the cor. to lot 1, 2, 11, 12 from which  
Sand pit timber same as the last mile;*

*West On a true line between Sec. 20 11*

*40.00 Set the temporary post at the cor. with; on a true line  
for the cor. to 14.30 from which a Buck 8 in. air base  
S16 N. 4 linked with; 10 No 4 n n  
N9 E 20 n n*

*North Between Sec. 21 3 T. No 7 N.R. No 17*

*40.00 Set a post for the cor. to 14.30 from which a  
Buck 15 in. air base S40 E 15 linked with; 10  
No 15 n n N24 W 20 n n*

*79.50 Set a post on the N. Boundary of T. No 7 N.R. No 17.  
58 linked with; West of the first lot for the cor. to lot  
34, 35. T. No 8 N.R. No 17. from which a  
Buck 15 in. air base S41 E. 14 linked with; 10  
Buck 15. n n N76 W 17 n n*

T. N. 7 N. R. N. 17. 2<sup>nd</sup> & 3<sup>rd</sup> Sec. S. 1. E.

Shade, soil, timber & same as the last mile.

North Between Sec. 33. & 34 T. N. 7 N. R. N. 17.

17.00 To a Brook 100 miles wide, corner S. E.

40.00 Set a post for the cor. to 1/4 Sec. from which a  
Buck 12 mi. dia. bears East 30 limited dist; & a  
Eum 10 " " " N 69 W 25 " "

80.00 Set a post for the cor. to Sec. 27, 28, 33 & 34 from which  
a Buck 12 mi. dia. bears S 57 E. 14 limited dist; & a

Do 8 " " " N 4 E. 23 " "  
Grass rolling; Timber Buck, Oak, & Hickory

East On a Random line between Sec. 27 & 34 T. N. 7 N. R. N. 17

31.00 To a Brook 200 miles wide, corner S. E.

40.00 Set a timber post for the cor. to 1/4 Sec

80.00 Intersected the N & S line 50 miles North of the post set  
for the cor. to Sec 26, 27, 34 & 35  
Grass, soil, timber, & same as in the last mile.

West Between Sec. 27 & 34 On a true line. T. N. 7 N. R. N. 17

40.00 Set a post for the cor. to 1/4 Sec. at the aver. dist. on  
a true line from which a Maple 10 mi. dia. bears S 64 E  
24 limited dist; & a Hickory 12 " " " S 27 W  
14 " " "

80.00 To the post set for the cor. to Sec. 27, 28, 33, & 34

North Between Sec. 27 & 28 T. N. 7 N. R. N. 17.

24.00 To a Brook 150 miles wide; corner S. E.

40.00 Set a post for the cor. to 1/4 Sec. from which a  
Buck 6 mi. dia. bears N 26 E 6 limited dist; & a  
Elm 10 " " " " D 36 W 8 " "

54.00 To a Brook 150 miles wide; corner N.

80.00 Set a post for the cor. to Sec. 21, 22, 27, & 28 from  
which a Buck 8 mi. dia. bears S 7 E 25 limited dist; & a

T. No. 7 N.R. No. 177. 2nd Mer. (Ch. 19)

Heidy 10 in. dia bears N 87 W 27 links dist; 10  
Sands rich sand loess; Tinted Buck, Ash, & Heidy

East On a Random line between Sec. 22, 27 T. No. 7 N.R.  
No. 177 2nd Mer. Ch. 19

36.50 To a Post 10 links mid; Course S.

40.00 Set a tramped Post for the cor. to  $\frac{1}{4}$  sec.

46.00 To a Post 10 links mid; Course N.E.

55.00 " " " 10 " " " S.W.

80.00 Intersected the N 5 S line 24 links North of the Post  
Set for the cor. to Sec. 22, 23, 26, & 27.

Sands, Grd., tinted & same as on the last mile.

West On a true line between Sec. 22, 27 T. No. 7 N.R.  
177. 2nd Mer

40.00 Set a Post for the cor. to  $\frac{1}{4}$  sec. at the corner dist; on  
the true line from which a Buck 25 links dist; bears  
N 18 E 30 links dist; & a Do 15 " " "  
S 74 W 11 " "

80.00 To the Post Set for the cor. to Sec. 21, 22, 27, & 28

North Between Sec. 21 & 22, T. No. 7 N.R. No. 177.

40.00 Set a Post for the cor. to  $\frac{1}{4}$  sec. from which a  
Curn 12 in dia bears N 30 E 9 links dist; 10  
Buck 5 " " " S 5 W 7 " "

80.00 Set a Post for the cor. to Sec. 15, 16, 21, & 22 from  
which a Buck 10 in. dia bears N 87 E 15 links dist;  
sands & Do 15 " " " S 79 W 12 " "  
Sands rich sand rolling: Tinted, Aug. or, Ash, Oak  
Poplar & Walnut.

East On a Random line between Sec. 15 & 22 T. No. 7 N.  
R. No. 177.

40.00 Set a tramped Post for the cor. to  $\frac{1}{4}$  sec.

79.86 Intersected the N 5 S line at the Post Set for the  
cor. to Sec. 14, 15, 22, & 23. Sands. Same as last mile

T. No. 7. N.R. No. 177. 2<sup>nd</sup> Div. (Ind. a.)

- West On a true line between Sec. 15, & 22. On a true line  
T. No. 7 N.R. No. 177.  
39.93 Set the temporary post at the aver. dist. on the true line for  
the cor. to 1/4 Sec. from which a Poplar 100 in. dia. tree  
bears S 49° W. 12 miles dist.; & a Sugar 20 " "  
" N 62° E 18 " "  
49.86 To the post set for the cor. to Sec. 15, 16, 21, & 22
- 

- North Between Sec. 15 & 16 T. No. 7 N.R. No. 177.  
40.00 Set a post for the cor. to 1/4 Sec. from which a  
Sugar 7 in. dia. tree bears S 56° E 11 miles dist.; & a  
Do 10 " " " S 86° W. 17 " "  
80.00 Set a post for the cor. to Sec. 9, 10, 15, & 16. from  
which a Buck 12 in. dia. tree bears N 40° W. 14 miles dist.;  
and a Sugar 8 " " " N 46° E 14 " "  
Sanderling, Timber Oak, Sugar & Ash, &c
- 

- East On a Random line between Sec. 10, & 15 T. No. 7 N.R.  
No. 177.  
40.00 Set temporary post for the cor. to 1/4 Sec.  
73.00 To a Brook 4 miles wide; Course S.  
80.00 Intersect the N & S line 18 miles N. of the post set  
for the cor. to Sec. 10, 11, 14, & 15.  
Sands & soil timber &c same as on the last mile.
- 

- West Between Sec. 10, & 15 On the true line T. No. 7 N.R.  
No. 177.  
40.00 Set the temporary post at the aver. dist. on the true line  
for the cor. to 1/4 Sec. from which a  
Buck 20 in. dia. tree bears S 40° W. 18 miles dist.; & a  
Sugar 8 " " " S 88° E 11 " "  
80.00 To the post set for the cor. to Sec. 9, 10, 15, 16.
- 

- North Between Sec. 9, & 10 T. No. 7 N.R. No. 177.  
40.00 Set a post for the cor. to 1/4 Sec. from which a  
Sugar 10 in. dia. tree bears N 18° E 10 miles dist.; & a



T. No. 7 N.R. No. 177. 2<sup>nd</sup> Mer. Ind.

Dogmole 3 in dia bears N. 57 E. 9 links dist; 1  
62.00 To a Brook 10 links wide; course S.E.  
80.00 Set a post for the cor. to Sec. 3, 4, 9, 10, from  
which a Buck 4 in. dia bears N. 4 E. 12 links dist  
and a Walnut 6 in. " " West 35 in.  
Sand soil timber &c same as on the last mile

East On a Random line between Sec. 3. & 10. T. No. 7. N.  
R. No. 177.

40.00 Set a temporary post for the cor. to 1/4 Sec.  
80.18 Intersected the N.S. line 25 miles South of the post  
of the post set for the cor. to Sec. 2, 3, 10, & 11  
Sand soil timber &c same as the last mile

West Between Sec. 3 & 10 On a true line T. No. 7. N.  
R. No. 177.

40.09 Set the temporary post at the arroyo dist; on the true line  
for the cor. to 1/4 Sec. from which a  
Buck 3 in. dia bears N. 45 E. 13 links dist; & a  
Do 18 in. " " S. 63 W. 21 in. "  
80.16 To the post set for the cor. to Sec. 3, 4, 9, 10

North Between Sec. 3 & 4 T. No. 7. N.R. No. 177

40.00 Set a post for the cor. to 1/4 Sec. from which a  
Walsh 20 in. dia bears S. 10 E. 25 links dist; & a  
Buck 15 in. " " S. 52 W. 4 in. "  
79.94 Intersected the N. Boundary of T. No. 7. N.R. No. 177  
118 links West of the post set for the cor. to Sec. 3 & 34  
T. No. 8 N.R. No. 177.) & set a post for the cor.  
to Sec. 3 & 4. T. No. 7. N.R. No. 177. from which a  
Buck 8 in. dia bears N. 42 E. 20 links dist; & a  
Do 20 in. " " S. 8 E. 27 in. "  
Sand soil timber &c same as the last mile.

North Between Sec. 32. & 33. T. No. 7. N.R. No. 177.

6.00 To a Spring Brook 8 links wide; course E.

T. No. 7 N.R. No. 177. 2nd Mer. Ind.

- 20.50 To the above Sp. 3 Berro 8 links mid; Corner E.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which an  
 Ash 20 mi. dia bears N 37 E. 8 links dist; 1 c  
 Buck 6 n ~ ~ N 17 N. 20 n ~  
 43.50 To a Berro 15 links mid; Corner N.E.  
 80.00 Set a post for the cor. to sec. 28, 29, 32, 133. from  
 which a Buck 12 mi. dia bears S 40 E 14 links dist; 1 c  
 Do 18 n ~ ~ N 52 E. 40 n ~  
 Sand rolling and rich; Timber Sugar, Ash, Buck

East On a Random line between Sec. 28. & 33. T. No. 7 N.R.

- No. 177.  
 12.00 To a Berro 100 links mid; Corner South  
 30.00 ~ the N. Ends of the same Berro.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 80.00 Constructed the N.P. line 70 links South of the post  
 set for the cor. to sec. 27, 28, 33, & 34  
 Sand, Soil, timber, N.Y. same as on the last mile.

West On a true line between Sec. 28. & 33. T. No. 7 N.R. 177.

- 40.00 Set the temporary post on the true line at the app. dist  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 White 20 mi. dia bears N 57 N. 13 links dist; 1 c  
 Do 20. 24 n ~ ~ N 72 E. 12 n ~  
 80.00 To the post set for the cor. to sec. 28, 29, 32, 133.

North Between Sec. 28, & 29 T. No. 7 N.R. No. 177.

- 40.00 To a Buck 4 mi dia. which stands for the cor. to  $\frac{1}{4}$  sec.  
 55.00 To a Berro 100 links mid; Corner E.  
 65.00 ~ the East Ends of the same.  
 80.00 Set a post for the cor. to sec. 20, 21, 28, & 29  
 from which sugar - in dia bears S 76 E. 21 links  
 dist; 1 c and Ironwoods 4 n ~ ~ N 68 N. 4 n ~  
 ~ Sand Soil timber & c same as the last mile.

East On a Random line between Sec. 21. & 28. T. No. 7 N.R. No.

T. No 7 N.R. No 1 W. 2<sup>nd</sup> Mer. (S. 1<sup>st</sup>)

- 6.50 To a Brook 12 links wide; bearing S.E.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  Sec.  
 80.10 Intersected the N & S line at the first set for the cor.  
 to Sec. 21, 22, 27, 28. Same as the last  
 mile.

- West - Between Sec. 21 & 28 On a true line T. No 7 N.R. 1<sup>st</sup> W.  
 40.05 Set the temporary post at the aver. dist. in the true line  
 for the cor. to  $\frac{1}{4}$  Sec. from which a  
 Chyau 8 in. dia bears N 76 E. 21 links dist; & a  
 Do 8 " " " S 12 E. 21 " "  
 80.10 To the first set for the cor. to Sec. 20, 21, 28, & 29

- North Between Sec. 20 & 21 T. No 7 N.R. No 1 W.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  Sec. from which a  
 Elm 18 in. dia bears N 14 W. 26 links dist; & a  
 Buck 8 " " " S 26 W. 19 " "  
 69.50 To a Brook 10 links wide; bearing East  
 80.00 Set a post for the cor. to Sec. 16, 17, 21, & 21. From  
 which a Buck 26 in. dia bears N 18 E. 12 links  
 dist; & a Chyau 4 " " " S 20 W. 6 "  
 Same as the last mile.

- East On a Random line between Sec. 16, & 21. T. No 7 N.  
 R. No 1 W.  
 32.00 To a Brook 20 links wide; bearing S.W.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  Sec.  
 80.00 Intersected the N & S line at the first set for the  
 cor. to Sec. 15, 16, 21, & 22  
 Same as the last mile.

- West On a true line between Sec. 16 & 21. T. No 7 N.R. No 1 W.  
 40.06 Set the temporary post at the aver. dist. in the true  
 line for the cor. to  $\frac{1}{4}$  Sec. from which a  
 Chyau 10 in. dia bears N 20 E. 22 links dist; & a  
 Do 5 " " " S 33 E. 21 " "

## T. No. 7. N. W. R. No. 1074. 3rd Mar. (Ind.)

80.10 To the first set for the cor. to sec. 16, 17, 20, &amp; 21.

North. Bottom Sec. 16 P 17 T. No. 7. N. W. R. No. 1074.

40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
Buck 5 mi. dist. bears S 59 E 19 miles dist; & a  
do 4 " " " N 81 E 20 " "

51.00 To a Brook 5 miles dist; course E.

80.00 Set a post for the cor. to sec. 8, 9, 16, & 17 from which  
a Buck 30 mi. dist. bears East 3 miles dist; & a  
Geyon 8 " " " S 40 N 28 " "  
Lands sold timber &c same as the last miles.

East. On a Random between Sec. 9 &amp; 16

4.00 Brook 6 South

40.00 Set a trip  $\frac{1}{4}$  sec. post

66.00 Brook 10 E. S.

79.20 Intersected the N. S. line 44 miles North of sec. cor.  
Land same

West. On true line between Sec. 9 &amp; 16

39.60 Set post at aver. dist. on true line for N. cor. from  
which a Geyon 6. N 13 E 17  
Lands sold 5 S 74 N 14

79.20 To sec. cor.

North. Bottom Sec. 8 &amp; 9

40.00 Set  $\frac{1}{4}$  sec. post from which a  
Buck 30 S 36 N 26  
do 10 S 42 E 2580.00 Set a post for cor. to sec. 4, 5, 8, 9, from which a  
Geyon 18 " N 8 E 13 miles dist  
Buck 20 S 79 N 36 " "  
Lands sold &c same

East. On a Random line between Sec. 4 &amp; 9.

40.00 Set a trip  $\frac{1}{4}$  sec. post



T 7 N. R. N° 177. 2<sup>d</sup> Mer. Inda

60.00 Brook 10 Curve S.  
79.28 To. Sw cor. Same same

West On the true line between Sec. 4 & 9  
39.64 Set post at corner ditch on a true line from which a  
Sugm 15 S 75 E 17  
L. 13 S 7 E 27  
79.28 Sw cor.

North Between Sec. 4 & 5  
11.00 Poplar 20  
44.00 Set 1/4 sec post from which a  
Hickory 20 in. dia. base N 46 E 6.  
Log woods 4 S 14 E 18  
64.00 Brook 10 Curve W.  
80.22 Set a post in the N 13 curve 33 links E. of the  
post from which a Brook 15 N 79 W 28  
Hickory 20 S 34 E 10  
Same to same

North Between Sec. 31 & 32  
40.00 Set 1/4 sec post from which a  
Brook 10 S 59 E 21.  
L. 13 S 78 W 27  
48.00 Brook 20 Curve N. E.  
80.00 Set post for the cor to Sec. 29, 30, 31, 32 from  
which a Log woods 4 in. dia. base S 14 E 26  
Cedar 7 N 59 W 20  
Same to same

East On a Random line between Sec. 29 & 32  
40.00 Set temp. 1/4 sec post  
80.18 Intersected the N 13 line at Sw. cor.  
Same to same

West On true line between Sec. 29 & 32

T. No. 7. M.R. No. 177 2<sup>nd</sup> Mer. Ind.

- 40.09 Set the temporary post at the aver. dist. on the true line for the cor. to 1/4 sec. from which a  
 Back 10 mi. dist. bears N 28 E. 28 miles dist.; 10  
 Do 4 " " " " S 85 E. 22 " "  
 80.18 To the post set for the cor. to 1/4 sec. 29. 31. 31. 33
- 

North Return Dec. 29 & 30 T. No. 7. M.R. No. 177.

- 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Sugar 8 mi. dist. bears N 67 N. 19 miles dist.; 10  
 Do 8 " " " " S 77 E. 33 " "  
 80.00 Set a post for the cor. to 1/4 sec. 19, 20, 29, 30 from  
 which a Back 15 mi. dist. bears N 59 E. 22 miles dist.  
 course as Do 25 " " " " S 48 E. 31 " "  
 Sand & Soil timber &c same as the last mile
- 

East Cranberry line between Dec. 20 & 29. T. No. 7. M.R. No. 177

- 31.50 To a Brook 75 miles wide; Course S.E.  
 37.50 " " " " 75 " " " " N.E.  
 40.00 Set a temporary post for the cor. to 1/4 sec.  
 40.50 To a Brook 75 miles wide; Course S.E.  
 81.00 From section the N & S line 100 miles North of the  
 post set for the cor. to 1/4 sec. 20, 21, 28, 129  
 Sand & Soil timber &c same as the last mile.
- 

West Return Dec. 20 & 29 in true line

- 40.50 Set the temporary post at the aver. dist. on the true line for the cor. to 1/4 sec. This cor. could not be set on account of water.  
 81.00 To the post set 19, 20, 29, & 30.
- 

North Return Dec. 20 & 19 T. No. 7. M.R. No. 177

- 29.00 To a Brook 80 miles wide; Course N.E.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 Hackberry 12 mi. dist. bears S 48 N. 17 miles dist.;  
 Sugar 15 " " " " N 40 E. 26 " "

T. No 7. N.R. No 174. 2<sup>nd</sup> Mer. (Ind.)

80.00 Set a post for the cor. to sec. 17, 18, 19 & 20. from which a Buck 15 in. diam bore S 73 E 11 links dist; to

Do 10 " " " S 63 W 15 " "  
Sands soil & timber same as the last mile.

East On a Random line between Sec. 17 & 20. T. 7 N. R. 17 W.

27.00 To a Buck 12 links wide; Course S. W.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.40 Enter the N & S line 23 links N. of the post set for the cor. to sec. 16, 17, 20 & 21.

Sands soil timber &c same as the last mile.

West On a true line between Sec. 17 & 20 T. 7 N. R. 17 W.

40.20 Set the temporary post at the cor. dist; on the true line for the cor. to 1/4 sec. from which a

Buck 10 in. diam bore N 26 E. 5 links dist; to

Do 5 " " " S 19 W. 9 " "

80.40 To the post set for the cor. to sec. 17, 18, 19 & 20

North Between Sec. 17 & 18 T. No 7. N.R. No 174.

40.00 Set a post for the cor. to 1/4 sec from which a

N Oak 24 in. diam. bore S 30 E. 6 links dist; to

Buck 6 " " " S 88 W 12 " "

80.00 Set a post for the cor. to sec. 7 & 8, 17 & 18 from which a Buck 30 in. diam bore South 15 links dist;

make a Do 12 " " " N 45 W. 12 " "

Sands rolling; timber Buck, Sugar, Poplar, Ash, &c.

East On a Random line between Sec. 8 & 17 T. 7 N. R. 17 W.

13.00 To a Buck 6 links wide; Course South.

40.00 Set a temporary post for the cor. to 1/4 sec.

80.70 Enter the N & S line 12 links South of the post set for the cor. to sec. 8, 9, 16, 17.

Sands soil and timber N. & S same as on the last mile.

T. No. 7. N.R. No. 17. 2<sup>nd</sup> Mer. (Ind. Co.)

West On a true line between Sect. 8 & 17. T. No. 7. N.R. No. 17.  
 40.00 Set the temporary post at the aver. dist on the true line  
 for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 12 in. dia. has N 6 E. 4 links dist; & a  
 Do 4 " " " N 28 E 5 " "  
 80.00 To the post set for the cor. to Sect. 7, 8, 17, 18.

North Between Sect. 7 & 8 T. No. 7. N.R. No. 17.  
 18.00 To a Poplar 36 in. dia. stands in the line  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 7 in. dia. has N 3 E. 4 links dist; & a  
 Do 6 " " " N 24 W 22 " "  
 46.00 To a Brook 10 links wide; Corner W.  
 80.00 Set a post for the cor. to Sect. 5, 6, 7, 8. from which  
 a Buck 18 in. dia. has South 8 links dist; & a  
 Sugar 12 " " " S 86 E. 43 " "  
 Sand, soil, timber, &c same as the last mile.

East On a Random line between Sect. 5 & 8 T. No. 7. N.R. No. 17.  
 33.00 To a Brook 10 links wide; Corner S. W.  
 40.00 Set a temporary post for the cor. to  $\frac{1}{4}$  sec.  
 79.16 Intersected the N & S line 33 links South of the  
 post set for the cor. to Sect. 4, 5, 8, 9.  
 Sand, soil and timber same as the last mile.

West On the true line between Sect. 5 & 8. T. No. 7. N.R. No. 17.  
 39.58 Set the temporary post at the aver. dist on the true  
 line for the cor. to the  $\frac{1}{4}$  sec. from which a  
 Poplar 10 in. dia. has N 7 W. 10 links dist; & a  
 Sugar 5 " " " N 75 E. 9 " "  
 79.16 To the post set for the cor. to Sect. 5, 6, 7, 8.

North Between Sect. 5 & 6. T. No. 7. N.R. No. 17.  
 40.00 Set a post for the cor. to  $\frac{1}{4}$  sec. from which a  
 Buck 8 in. dia. has S 29 E. 24 links dist; & a  
 Sugar 5 " " " N 33 W. 11 " "



T. N. 7. N. R. N. 17. 2<sup>nd</sup> Mer. (Ind. a.)

44.00 To a Brook 20 Mts. wide; Course West.

67.00 " " " 10 " " " " "

80.54 Intersected the N. Boundary of T. N. 7. N. R. N. 17. (145 Mts. East of the first cut for the cor. to Sec. 31. 032 T. N. 8. N. R. 17.) & set a post for the cor. to Sec. 5 & 6 from which a Sugar 12 in dia bears S 66 W. 20 Mts. dist; to Hogswood 5 " " " S 4 W. 20 " " " Sand & soil timber &c same as the last mile

West True line between Sec. 6 & 7. T. 7. N. R. N. 17.

40.00 Set a post for the cor. to Sec. 6 from which a Sugar 10 in. dia bears N 36 E 3 Mts. dist; to Do 9 " " " S 37 W 35 " " "

81.00 To a Brook 100 Mts. wide; Course S.

83.43 Intersected the W. Boundary of T. N. 7. N. R. N. 17. (385 Mts. S. of the first cut for the cor. to Sec. 1. 012 T. N. 7. N. R. N. 2 W.) and set a post from which a Sugar 24 in. dia bears East 19 Mts. dist; to an Elm 12 " " " S 5 E. 31 " " " Sand & soil & timber same as on the last mile

West True line between Sec. 7. P. 18. T. 7. N. R. 17.

23.10 To a Brook 8 Mts. wide; Course N.

40.00 Set a post for the cor. to Sec. 7 from which a Sugar 36 in. dia bears N 24 E. 19 Mts. dist; to an Oak 18 " " " S 35 W. 19 " " "

83.40 Intersected the W. Boundary of T. N. 7. N. R. N. 17. (439 Mts. South of the cor. to Sec. 12 & 13. T. N. 7. N. R. N. 2 W.) & set a post for the cor. to Sec. 7 & 18 from which a Sugar 12 in. dia bears N 36 E. 36 Mts. dist; to a Hackberry 12 " " " S 80 W 20 " " " Sand & same as on the last mile.

T. No 7 N.R. No 1 W. 2nd Mer. (Ind. a)

- West On a true line between Sect 18 & 19. T. No 7 N.R. No 1 W.  
 30.50 To a Brook 10 links wide; Corner S.W.  
 40.00 Set a post for the cor. to 1/4 sec. from which a  
 N. Walnut 12 in. dia bears N 82 E. 40 links dist;  
 & an Iron rod 5 " " " N 20 E. 30 " "  
 40.53 To a Brook 75 links wide; Corner S.E.  
 52.50 " " " 75 " " " N.W.  
 79.00 " " same " " " " S.E.  
 85.00 Intersected the West & Bound. of T. No 7 N.R. No  
 1 W. (250 links South of the sec. cor for 13 & 24  
 T. No 7 N.R. No 2 W.) & set a post for the cor to  
 Sect. 18 & 19 from which a Buck 4 in. dia bears  
 N 54 W. 4 links dist; & a Do 4 " " "  
 S 42 E. 8 " "  
 Sands, Soil, timber, &c same as the last mile &c

- West Return Sect. 19 & 30. T. No 7 N.R. No 1 W.  
 12.00 To a Brook 15 links wide; Corner N.E.  
 40.00 Set a post for the cor to 1/4 sec. from which a  
 Buck 8 in. dia bears N 4 E. 34 links dist; & a  
 Do 10 " " " S 35 W. 11 " "  
 62.00 To a Brook 12 links wide bears N.E.  
 84.74 Intersected the Range line or W. Boundary of  
 T. No 7 N.R. No 1 W. 16 4 links South of the  
 post set for the cor. to Sect. 24 & 25. T. No 7 N.R.  
 No 2 W.) & marked the cor. on a Buck 14 in. dia  
 Sands Soil timber &c same as the last mile.

- West Return Sect. 30 & 31 T. No 7 N.R. No 1 W.  
 40.00 Set a post for the cor to 1/4 sec. from which a  
 Hick. 18 in. dia bears N 72 W. 23 links dist; & a  
 Sugar 8 " " " S 25 E. 32 " "  
 84.85 Set a post on the West Boundary. 25 links dist;  
 South of the post set for the cor. to Sect 25 & 36  
 T. No 7 N.R. No 2 W. from which a  
 Buck 8 in. dia bears N 45 E. 52 links dist; & a

224

T. N. 7 N. R. N. 1 W. 2<sup>nd</sup> Mer.

Beck 4 in. air bars S. 71 E. 30 miles dist;  
Sunde Soil timber & same as the last mile:

Surveyed by  
Arthur Hennin L.S.

I certify that the foregoing transcript of the field notes  
of Township N. 7. North of Range N. 1 West, of the  
2<sup>nd</sup> Mer. Indiana, has been compared with the Orig-  
inal notes in this Office, and found to be correct.

Surveyor General's Office  
Cincinnati Nov. 8. 1840

E. S. Rains  
Sur. Genl.